

Model ATN117e/CL1000M



“ATEN’s KVM solutions had the scalability we needed to expand our server room, and at a cost that was affordable to us.”

17” Single –Rail LCD Integrated Console

- OS Support
Win, Linux, FreeBSD
- Computers
SPD PS/2
- LCD Monitor
17"
- NEW OS Support
Vista



Overview

ATN117e/CL1000M offers a space-saving, streamlined approach to IT environments by integrating a keyboard, 17" LCD monitor, and touchpad in a 1U housing. With a user friendly design, the ATN117e/CL1000M is a ready to use unit without complex installation procedures. The ATN117e/CL1000M connects to a PS/2 mouse and keyboard console-KVM and or a single server. It accepts PS/2 keyboard and mouse connections, supports high-resolution of 1280x1024 pixels from

Competitive Features/Benefits:

Features	Benefits
Easy to install	User friendly design without complex installation procedures.

Order Information:

Product	ATEN Part No.	Description	MSRP
LCD Integrated Console	ATN117e/CL1000M	17" Single Rail LCD Integrated Console	S699.95
KVM	CS9138	8-port PS/2 KVM	S 199.95
KVM	CS9134	4-port PS/2 KVM	S169.95

17" Single –Rail LCD Integrated Console

Specification

Function		ATN117e/ CL1000M
Connectors	CPU Port	1 x SPHD-15 Female (Yellow)
	Power	1 x 3-prong AC Socket
Switches	LCD Adjustment	4 x Pushbuttons
	KM Reset	1 x Semi-Recessed Pushbutton
	Power	1 x Rocker
LEDs	Power	1 (Blue)
	Num Lock	1 (Green)
	Caps Lock	1 (Green)
	Scroll Lock	1 (Green)
Keyboard/Mouse Emulation		PS/2
Video Performance		1280 x 1024; DDC2B
Input/Output rate		100~240VAC; 50/60Hz; 1A
Power Consumption		120V/27W;230V/35W
Environment	Operating Temp.	32~122F(0~40C)
	Storage Temp.	-4~140F(-20~60C)
	Humidity	0-80% RH, Noncondensing
Physical Property	Housing	Metal
	Weight	30 lb. (13.7 kg)
	Dimension (DkWxH)	20.5x 18.9x 1.65 in. (52.0x 48.0x 4.2 cm)




Distributed by

i-Tech Company LLC

TOLL FREE: (888) 483-2418 • EMAIL: info@i-techcompany.com • WEB: www.i-techcompany.com

17" Single -Rail LCD Integrated Console

Configuration Diagram



Application

A user through ATN117e/CL1000M and a 8-port KVM switch can access up to 8 connected computers.

Product suggestion list

CL1000Mx1

CS9138x1

2L-5002P/C - PS/2 KVM Cable

2L-5502UP- USB KVM Cable



Distributed by

i-Tech Company LLC

TOLL FREE: (888) 483-2418 • EMAIL: info@i-techcompany.com • WEB: www.i-techcompany.com