

INDUSTRIAL OPEN FRAME LCD

27" Wide Open frame LCD Rear OSD with Rear Housing
300nits TFT LCD, 1920x1080, VGA + DVI Input

Model: COPW2700



FEATURES:

- High Contrast color TFT LED Monitor support resolution up to FULL HD(1920X1080)
- Power management system conforms to VESA DPMS and EPA Energy Star standards.
- Full consideration for touch screen installation and application.
- Universal Power adapter.
- Support DDC1 & DDC2B for Plug & Play compatibility.
- Advanced OSD control for picture quality adjustment.
- Detachable stand for wall-mounting application.
- Heavy duty Monitor with steel frame.


SPECIFICATIONS:

Display	Viewing Size Image	27"
	Active Display Area (mm)	597.6 (H) x 336.15 (V)
	Pixel Pitch (mm)	0.31125 (H) x 0.31125(V)
	Resolution	1920 x 1080
	Contrast Ratio	3000: 1 (typ.)
	Color	16.7M(8bits+color)
	Brightness	300 cd/m ²
	Viewing Angle	-89~89 (H) ; -89~89 (V)
	Recommended Resolution	1920 x 1080 @ 60Hz~75Hz
	Signal Connector	VGA,DVI
	Operating Temp.	0°C~50°C
Power	Source	12V DC in with External AC-DC, Adapter(100-240V)
	Consumption	45W typical, normal operation
	Management	VESA DPMS Compliant
Optional	Touch	Resistive, PCAP ,IR
	High Brightness	1000,1500
	Auto Dimming	YES
	POWER in	DC24V,DC9V~36V
	Remote Control	YES
	IO	AV,HDMI,DP

APPLICATIONS:



MECHANICAL DRAWING:



UNIT:mm