



Meet our 3U short depth DRP3DW17 Series drawer, providing a Triple (or Dual) display drawer with integrated Keyboard drawer within only 20" depth.

This next generation platform provides a new rugged design with updated technology. For instance it offers a new unified OSD control allowing independent panel control or allows control of all panels simultaneously. The unit also features new torque hinge design and steel friction slides, making it ideally suited for Mobile environments. In addition, the Rear I/O Panel includes customizable options such as a variety of discrete video inputs, an optional USB Hub, and KVM options as well.

ENCLOSURE FEATURES

- 3U 20"D Dual/Triple LCD w/ Keyboard
- All Aluminum Construction
- Integrated Struts for Support
- Built-in Rugged Friction Slides
- Full Cable Management Guides
- Unified Button Board Operation

DISPLAY SPECIFICATION

- 3x17" Wide Screen FHD Displays
- 1920x1200 WUXGA Resolution
- Viewing Angles 70L/70R/60U/60D
- 275 NITS Brightness (LED BLU)
- Contrast Ratio 800:1

- Independent Drawer Operation
- Thumb Screw Front to secure unit
- Inset/Flush 5" Collapsible Handles
- Mounts in Racks 20-28" in depth
- Variety of Back Panel Features
- 12VDC/XLR Input w/AC Transformer
- Response Time 16ms
- VGA, DVI, S-Video, Composite, & YPbPr
- Surface Glare-Anti-Reflective
- Optional Resistive or PCAP Touch



Keyboard Details





Features: Grade: Industrial Keys: 104

Key Life: >20 Million Cycles

MTBF: 11.4 Million Hrs Operating Temp: -45 to 70c

Pointer: Full Size Mouse(800dpi) w/ 3 Buttons

Interface: PS/2 or USB

Additional Information:

Keyboard utilizes mechanical keys with gold cross point contacts for high-precision key action Programmable keys
Fast switch-over to numeric block via Fn key
Multiple language support available
Full size Optical Scroll Mouse with three buttons
Mouse designed for both right or left handed users

Agency Approvals/Certifications:

Keyboard: CE, VDE, cURus, FCC, VCCI, C-Tick, BSMI, WHQL, WEEE, RoHS

Mouse: FCC, cURus, GS, CE, GOST-R

Keyboard & Pointer Options

A(PS2) or Au(USB) Consumer Grade



- Compact Keyboard w/88 Keys
- 2 Button Trackball


O(PS2) or Ou(USB) Consumer Grade



- Compact Keyboard w/88 Keys
- 2 Button Touchpad

V1(PS2) or V1u(USB) Consumer Grade





- Compact Keyboard w/103 Keys
- Storage Tray w/ Optical Mouse

P1(PS2) or P1u(USB) Rugged Grade



- Backlit NEMA 4 Sealed Keyboard w/ 81 Keys
- Large 38mm 3 Button Trackball

T(PS2) or Tu(USB) Industrial Grade



- IP55 Keyboard w/87 Keys (Medical/Cleanable)
- 2 Button Pointer





*Left-Hand or Right Hand Orientation of Storage Tray Available


- IP 54 Keyboard w/88 Keys
- 2 Button Trackball

QN/QB(PS2) or QNu/QBu(USB) Rugged Grade



- Non/Backlit NEMA 4 Sealed Keyboard w/97 Keys
- 2 Button Touchpad

Example Back Panel Layout



NOTE: Actual layout may vary.

The base model unit comes as shown with a variety of dedicated inputs for each monitor.

If 1 input is required for use with all screens for a "spanning" application then a separate module is required. For 4 Port - Dual & Triple View KVM Options they are coming soon.



i-Tech Company LLC TOLL FREE: (888) 483-2418 • EMAIL: info@iTechLCD.com • WEB: www.iTechLCD.com