

# All-in-One Medical Panel PC

Medical Grade AIO (No Touch), Intel Core i5-4300M 2.6GHz, 4GB DDR3, 500GB HDD, 24" FHD Screen, 802.11 ac/a/b/g/n Wireless, Bluetooth, AC Adapter, Proximity sensor, Anti-Microbial -Treatment, TPM Security, 2MP Webcam, Windows 10 Professional 64-bit

**Model: GMPC2400-i5**

## FEATURES:

- Intel 4thGeneration i-Core CPU (Haswell)
- 24" Full-HD (1920\*1080) Display
- Wireless Communication: 802.11 ac/a/b/g/n + BT4.0
- Capacitive 10-points Multi-Touch
- Front Panel Spill Proof (1000c.c.)
- Antimicrobial Housing
- Internal UPS Battery Life: 40-50 mins(optional)
- Dimension: (W)610\*(H)415\*(D)35.5mm
- Lightest Weight in its class form factor :6.2Kg/13.7lbs
- Optional Accessory: Medical Grade AC Adapter / ODD / Desktop Stand / Phone Holder (design ready)
- Proximity Sensor (for privacy)

## SPECIFICATION:

Processor	Intel® 4thGeneration i-Core CPU M-series&Celeron& Pentium
Display	24" Full-HD (1920x1080)TFT LCD with Projective Capacity 10-point Multi-Touch Panel
Proximity Sensor	Sensor Detection Distance 90cm
Memory	Two 204-pin DDR3L SODIMM socket for 4GB/8GB
Mass Storage	M2-SATA SSD 64GB/128GB (M2 Type, 2242)
Audio	Two speaker OneMicrophone
Storage	2.5" SATA 3HDD500/750GB 2.5" SATA 3 SSD 64GB/128GB M2-SATA SSD 64GB/128GB (M2Type, 2242) (Factory Option) Optional 5.25" Super Multi Optical Disk Drive (Factory Option)
I/O	Four USB 2.0 connector Four USB 3.0connector One Line Out 3.5mm Audio Jack One MIC-In 3.5mm Audio Jack One RJ-45 Jack for internal 10/100/1000M bit Ethernet One DC-In Jack One19-pin HDMI for External Monitor One SDXC Card Reader Slot
Camera	2MPixel Webcam Support HD-MJEP
Communication	IntegratedGigabit bps Ethernet 802.11 ac/a/b/g/n + BT 4.0
UPS battery	One Optional InternalUPS Battery 2600mAh Backup System for 60 min.
Temperature & Humidity	OperatingEnvironment Temperature : 5°~ 40° Storage Environment Temperature: -30°~ 60° Operating Humidity: 10% - 90%
Vibration	MIL-STD-810G,Method 514.6, AnnexCCategory 4, Fig. 514.6C1 (Operating with SSD) ASTM 4169-08, Truck Transport, 11.5.2 Random Test, Assurance Level II
Housing & Chassis	Front PanelSpill Proof (1000c.c.) AntimicrobialHousing Support VESAmounting (100x100mm) on the back cover Support Optional Desktop Stand with Rubber Foot (Adjective angle 5°to 30°)
Weight	6.2 kg/13.7lbs
Dimension	610 x 415 x 35.5 mm






GMPC2400-i5 is a 24" All-In-One PC designed for medical use, with front panel spill proof, antimicrobial housing, GMPC2400-i5 can be used in any location at the hospital by wall-mounting, medical cart mounting, or even on desktop with the stand.



### Antimicrobial

With the latest mandates for infection and disease control in hospitals, the antimicrobial surface protection of P24 helps stop spread of viruses and germs and protects patients and practitioners at work



### Data Protection

Proximity sensor can detect user's presence to turn on or turn off the display, ensure the patient data (EMR) will not leak while the healthcare worker is temporary away from the PC. TPM (Trusted Platform Module) provides strong data encryption to ensure EMR data security.



### Internal UPS Battery

GMPC2400-i5 comes with an optional built-in battery. In case of a power interruption, the battery provides back-up power for up to 40-50 minutes. This feature offers protection against disruption of critical business operations or loss of data.

