

1U 19"W PS/2 DB-15, Combo PS/2 and USB 8-port KVM, local console, 104 key notepad keyboard w/ touch pad (Ge), w/ NE-6 x 8 580mm 22.8" Deep

MODEL: NW119S8e




LCD Drawer & KVM Benefits

- 1U 19" widescreen LCD console drawer
- 104-key keyboard with either touchpad or trackball
- Green LED-backlit panel technology
- New enhanced aesthetics with molded front handle
- Short depth design of 580mm (22.8") only
- Front USB port for device access (USB Hub KVM only)
- 2 post rack mounting available



Drawer Features & Options

- 3G / HD / SD-SDI Broadcast-grade input
- S-Video + Composite (BNC)
- HDMI or Audio input
- 48V, 24V or 12VDC power

















LCD Panel	
Manufacturer	
Diagonal size	19" widescreen TFT
Max. Resolution	1440 x 900
Brightness (cd/m2)	250
Backlight	LED
Colors	16.7M
Contrast Ratio (typ)	1000 : 1
Viewing Angle (H/V)	160° x 160°
Active area (mm)	408 x 255
MTBF (hrs)	30,000
Signal input	VGA or DVI-D
Casing Color	Black
Weight (Single console)	
Net	11.5 kgs (25 lbs)
Gross	16.3 kgs (36 lbs)
Environmental	
Operating	0 to 50°C Degree
Storage	-5 to 60°C Degree
Relative humidity	5~90%, non-condensing
Shock	10G acceleration (11 ms duration)
Vibration	5~500Hz 1G RMS random vibration
Regulatory	cUL, FCC, CE

Power	
Input	Auto-sensing 100 to 240VAC, 50 / 60Hz
Consumption	Max. 48 Watt, Standby 5 Watt
Product Dimensions (Single console)	
Product	441.6 x 580 x 44 mm / 17.4 x 22.8 x 1.73 inch
Packing	590 x 823 x 140 mm / 23.2 x 32.4 x 5.5 inch

Console Cable

CV-6
6 feet DVI-D console cable (bundle)
- DVI-D + USB, server end
- DVI-D + DB15 (USB KB & MS), console port
NB-6
6 feet VGA console cable (alternative)
- VGA + USB, server end
- DB15 (VGA, USB KB & MS), console port




Supporting layouts

America					
	United States				
EMEA					
	United Kingdom	Germany	France	Spain	Norway
					
	Italy	Russia	Switzerland	Netherlands	Portugal
Asia					
	China	Japan	Korea	Arabia	Turkey


Keyboard Selection


Ge G keyboard integrated with touchpad

Gb G keyboard integrated with trackball




KVM Selection


Matrix CAT6 KVM	Local	Remote		8-port	16-port	32-port
	1	1	1	-	NW119 - MC1116	NW119 - MC1132
1	1	2	-	NW119 - MC2116	NW119 - MC2132	
1	1	0	-	NW119 - MC0116	NW119 - MC0132	
1	2	0	-	NW119 - MC0216	NW119 - MC0232	
1	3	0	-	NW119 - MC0316	NW119 - MC0332	

Combo CAT6 KVM	Local	Remote		8-port	16-port	32-port
	1	0	1	NW119 - CIP8	NW119 - CIP16	NW119 - CIP32
1	1	0	NW119 - CCE8	NW119 - CCE16	NW119 - CCE32	
1	0	0	NW119 - C8	NW119 - C16	NW119 - C32	


Cat6 KVM Dongle : IF-DUSB (VGA-USB) / IF-DPS2 (VGA-PS/2) / IF-DUSB (DVI-USB)

Matrix DB-15 KVM	Local	Remote		8-port	16-port	32-port
	1	1	1	NW119 - M118	NW119 - M1116	-
1	1	2	NW119 - M218	NW119 - M2116	-	
1	1	0	NW119 - M018	NW119 - M0116	-	
1	2	0	NW119 - M028	NW119 - M0216	-	
1	3	0	NW119 - M038	NW119 - M0316	-	


KVM Selection

Combo DB-15 KVM	Local	Remote		8-port	16-port	32-port
	1	0	1	NW119IP - 82	NW119IP - 162	-
	1	1	0	NW119 - CE8	NW119 - CE16	-
	1	0	0	NW119 - S801	NW119 - S1601	-

Combo DB-15 KVM Cable : NE-6 / 10 / 15 (6, 10 or 15 ft)


DVI-D KVM	Local	Remote		12-port
	1	0	0	NW119 - D12

DVI-D KVM Cable : NC-6 / 15 (6 or 15 ft)

USB Hub DB-15 KVM	Local	Remote		8-port	16-port	32-port
	1	0	1	NW119IP - 82H	NW119IP - 162H	-
	1	1	0	NW119 - CE8H	NW119 - CE16H	-
	1	0	0	NW119 - 801H	NW119 - 1601H	-


USB KVM Cable : NB-6 / 10 / 15 (6, 10 or 15 ft)

Structure Diagram




Dimension

Front View




Side View



UNIT : mm
1mm = 0.03937 inch

Top View



Model	Product Dimension (W x D x H)	Packing Dimension (W x D x H)	Net Weight	Gross Weight
NW119S8e	441.6 x 580 x 44 mm 17.4 x 22.8 x 1.73"	590 x 823 x 140 mm 23.2 x 32.4 x 5.5	11.5 kg 25 lb	16.3 kg 36 lb