


USB Powered Touch Portable Monitor

10.1" USB Powered LCD Touch Screen Monitor, Speaker
Built-in with High Quality New LCD Panel with Touch

MODEL: NYW101BS-TR



FEATURES

- 10.1 inch TFT LCD USB Powered monitor with touch screen
- High quality new LCD Panel, with 1024x600 resolution, 250cd/m2 high brightness and 140°/110°(H/V) wide angle, which can display clear images.
- It uses LED backlight, which has advantage like Energy-Saving,
- Long life and environmental protection.

ONE USB CABLE DOES IT ALL! NOT NEED POWER ADAPTER, NOT NEED VGA ETC.

Displaylink Chip, support Windows OS, MAC OS.



Duplicate

Copy the primary monitor's picture, when requiring more picture, it can easily handle.



Extend

It can expand the primary monitor's picture, enlarge display area, conveniently cope with multitasking.




Primary Monitor

Can set the USB monitor as the primary monitor, deal with all special needs.

* the original primary monitor will be closed

One PC Can connect 6pcs USB Powered Monitors at the same time

Can be used on meeting or school etc



VESA 75mm Mount Holes


There has VESA 75 mm Mount holes (FPMPMI) On rear side of the monitor. So it can be used with wall mount arm which support VESA 75mm.

Speaker Built-in

As the built-in speaker, if there has audio output it does not need to connect external speaker equipment



Hidden Bracket & Hidden USB Output

* Hidden Bracket,can make this monitor stand alone.
* Possible to connect with Keyboard, Mouse, Wireless Headphone etc through USB output



Touch Function

- Using 4-wires resistive touch panel, support Serials OS like Windows XP / Windows Vista / Windows 7 (32 bit & 64 bit) / Windows 8 (32 bit & 64 bit) / WinCE 6.0 / Linux Kernel 2.4 / Linux Kernel 2.6.
- With standard TouchKit Driver CD, You can install touch driver, changing settings and calibrate the touch very easily.
- USB Touch interface as standard.
- Touch Driver Download



SPECIFICATIONS

Description	10.1 inch USB Powered LCD Monitor
Signal Input	USB 2.0 input x 1
Signal Output	USB 2.0 output x 1
LCD Size	10.1 inch
Resolution	1024 x 600
Backlight	LED
Dot Pitch	0.21525(W) x 0.21525(H) mm
Active area	220.416(W) x 129.15(H) mm
Brightness	250cd/m2
Contrast	500:1
Aspect Ratio	16:9
Viewing Angle	140°(H) / 110°(V)
Power input	USB DC5V
Speaker	x 2pcs (built-in backside)
Power consumption	≤10w
Work temperature	-20~60°C
Store temperature	-30~70°C
Size(mm)	254×163×28mm
Weight	600g
Support OS(Displaylink Program)	Windows / MAC OS
Certification	FCC,CE,RoHS
Warranty Time	12 months

Package Content

Monitor	x 1pcs
USB Touch Cable	x 1pcs
Touch Pen	x 1pcs
Touch Driver CD	x 1pcs
DC Adapter	x 1pcs
Manual	x 1pcs

Package Info

Package Size	31 x 30 x 12 cm (1pcs/Box)
Package Weight	2 KGS (1pcs/Box)
Package Volume Weight	2.5 KGS (1pcs/Box)
Carton Size	50 x 32 x 33 cm (5pcs/Carton)
Carton Weight	9 KGS (5pcs/Carton)
Carton Volume Weight	11 KGS (5pcs/Carton)