

1U 17" widescreen Full HD 1920 x 1080 LCD console drawer with 12-port DVI + Audio KVM switch, with 104 key notepad keyboard w/ Touchpad (e) or Trackball (b), with NC-6: 6pc 6ft long DVI +USB+ Audio KVM Cables. 18.9" Deep only and 33lbs

Model: NW117HD-D12e/NW117HD-D12b



NW117HD-D12e/ NW117HD-D12b



### LCD Drawer & KVM Benefits

- 1U 17" widescreen LCD console drawer with VGA and DVI-D
- Support Full HD with 1080p resolution
- 104-key keyboard with either touchpad or trackball
- SUN Micro or MAC keyboard options available
- New enhanced aesthetics with molded front handle
- Short depth design of 480mm ( 18.9" ) only
- Front USB port for device access ( USB Hub KVM only )
- 2 post rack mounting available

### Drawer Features & Options

- 3G / HD / SD-SDI Broadcast-grade input (w/ speaker)
- HDMI (w/ speaker) or Audio input
- DC power : 12V / 24V / 48V / 110 ~ 125V


<b>LCD Panel</b>	
Diagonal size	17.3" widescreen TFT
Max. Resolution	1920 x 1080
Brightness (cd/m <sup>2</sup> )	400
Backlight	LED
Colors	16.7 M, 8-bit
Contrast Ratio (typ)	600 : 1
Viewing Angle (H/V)	160° x 140°
Active area (mm)	382 x 215
MTBF (hrs)	50,000
Signal input	VGA or DVI-D
Speaker	Built-in Dual Stereo
(Option)	Speakers 2W x 2
Casing Color	Black ( PAL 9005 )
<b>Weight ( Single console )</b>	
Net	10.8 kgs ( 24 lbs )
Gross	15.8 kgs ( 34.8 lbs )
<b>Environmental</b>	
Operating	0 to 55°C Degree
Storage	-5 to 60°C Degree
Relative humidity	5~90%, non-condensing
Shock	10G acceleration ( 11 ms duration )
Vibration	5~500Hz 1G RMS random vibration
<b>Regulatory</b>	
Safety	FCC & CE certified
Environmental	RoHS2 & REACH compliant

Power	
Input	Auto-sensing 100 to 240VAC, 50 / 60Hz
Consumption	Max. 48 Watt, Standby 5 Watt
Product Dimensions ( Single console )	
Product	441.6 x 480 x 44 mm / 17.4 x 18.9 x 1.73 inch
Packing	590 x 808 x 140 mm / 23.2 x 31.8 x 5.5 inch

### Console Cable



<b>CV-6</b>
6 feet DVI-D console cable ( bundle )
- DVI-D + USB, server end
- DVI-D + DB15 ( USB KB & MS ), console port
<b>NB-6</b>
6 feet VGA console cable ( alternative )
- VGA + USB, server end
- DB15 ( VGA, USB KB & MS ), console port

### Supporting layouts


America		United States			
EMEA					
	United Kingdom	Germany	France	Spain	Norway
					
	Italy	Russia	Switzerland	Netherlands	Portugal
	Asia				
	China	Japan	Korea	Arabia	Turkey

### Standard Keyboard


**Ge** G keyboard integrated with touchpad




**Gb** G keyboard integrated with trackball




### KVM Selection


Matrix DB-15 KVM	Local	Remote		8-port	16-port	32-port
	1	1	1	NW117HD - <a href="#">M118</a>	NW117HD - <a href="#">M1116</a>	-
	1	1	2	NW117HD - <a href="#">M218</a>	NW117HD - <a href="#">M2116</a>	-
	1	1	0	NW117HD - <a href="#">M018</a>	NW117HD - <a href="#">M0116</a>	-
	1	2	0	NW117HD - <a href="#">M028</a>	NW117HD - <a href="#">M0216</a>	-
	1	3	0	NW117HD - <a href="#">M038</a>	NW117HD - <a href="#">M0316</a>	-

Combo DB-15 KVM	Local	Remote		8-port	16-port	32-port
	1	0	1	NW117HD - 82	NW117HD - 162	-
	1	1	0	NW117HD - CE8	NW117HD - CE16	-
	1	0	0	NW117HD - S801	NW117HD - S1601	-

Combo DB-15 KVM Cable : NE-6 / 10 / 15 ( 6, 10 or 15 ft )

DVI-D KVM	Local	Remote		12-port
	1	0	0	NW117HD - D12


DVI-D KVM Cable : NC-6 / 15 ( 6 or 15 ft )

USB Hub DB-15 KVM	Local	Remote		8-port	16-port	32-port
	1	0	1	NW117HD - 82H	NW117HD - 162H	-
	1	1	0	NW117HD - CE8H	NW117HD - CE16H	-
1	0	0	NW117HD - 801H	NW117HD - 1601H	-	


USB KVM Cable : NB-6 / 10 / 15 ( 6, 10 or 15 ft )

Mechanical Drawing

Front View




Side View



UNIT : mm  
1mm = 0.03937 inch

Top View



Model: NW117HD-D12e

