

Model: NW117HD-S8 / NW117HD-S16 Series

1U 17" widescreen Full HD 1920 x 1080 LCD console drawer with 104 key notepad keyboard w/ touchpad (e) or trackball (b), Integrated with PS/2 and USB combo 8/16ports KVM includes 8pcs 6ft long NE6 Cables 18.9" Deep only and 35lbs



NW117HD-S8 / NW117HD-S16



LCD Drawer & KVM Benefits

- 1U 17" widescreen LCD console drawer with VGA and DVI-D
- Support Full HD with 1080p resolution
- 104-key keyboard with either touchpad or trackball
- SUN Micro or MAC keyboard options available
- New enhanced aesthetics with molded front handle
- Short depth design of 480mm (18.9") only
- Front USB port for device access (USB Hub KVM only)
- 2 post rack mounting available

Drawer Features & Options

- 3G / HD / SD-SDI Broadcast-grade input (w/ speaker)
- HDMI (w/ speaker) or Audio input
- DC power : 12V / 24V / 48V / 110 ~ 125V

LCD Panel	
Diagonal size	17.3" widescreen TFT
Max. Resolution	1920 x 1080
Brightness (cd/m2)	400
Backlight	LED
Colors	16.7 M, 8-bit
Contrast Ratio (typ)	600 : 1
Viewing Angle (H/V)	160° x 140°
Active area (mm)	382 x 215
MTBF (hrs)	50,000
Signal input	VGA or DVI-D
Speaker	Built-in Dual Stereo
(Option)	Speakers 2W x 2
Casing Color	Black (PAL 9005)
Weight (Single console)	
Net	10.8 kgs (24 lbs)
Gross	15.8 kgs (34.8 lbs)
Environmental	
Operating	0 to 55°C Degree
Storage	-5 to 60°C Degree
Relative humidity	5-90%, non-condensing
Shock	10G acceleration (11 ms duration)
Vibration	5-500Hz 1G RMS random vibration
Regulatory	
Safety	FCC & CE certified
Environmental	RoHS2 & REACH compliant

Power	
Input	Auto-sensing 100 to 240VAC, 50 / 60Hz
Consumption	Max. 48 Watt, Standby 5 Watt
Product Dimensions (Single console)	
Product	441.6 x 480 x 44 mm / 17.4 x 18.9 x 1.73 inch
Packing	590 x 808 x 140 mm / 23.2 x 31.8 x 5.5 inch

Console Cable

CV-6

6 feet DVI-D console cable (bundle)

- DVI-D + USB, server end

- DVI-D + DB15 (USB KB & MS), console port □

NB-6

6 feet VGA console cable (alternative)

- VGA + USB, server end



- DB15 (VGA, USB KB & MS), console port □

Dimensions


Model	Product Dimension (W x D x H)	Packing Dimension (W x D x H)	Net Weight	Gross Weight
NW117HD-S	441.6 x 580 x 44 mm 17.4 x 22.8 x 1.73 inch	590 x 808 x 140 mm 23.2 x 31.8 x 5.5 inch	11.6 kgs (25.5 lbs)	17.5 kgs (38.5 lbs)

Standard Keyboard

Ge G keyboard integrated with touchpad








Gb G keyboard integrated with trackball



Supporting layouts

America 
United States

EMEA     
United Kingdom Germany France Spain Norway

    
Italy Russia Switzerland Netherlands Portugal

Asia     
China Japan Korea Arabia Turkey

Keyboard Options

* US layout only

Me Mac keyboard with touchpad



Se S keyboard with touchpad

Mb Mac keyboard with trackball

Sb S keyboard with trackball



KVM Selection

(X) Stands for 17" or 19" LCD size

Matrix DB-15 KVM	Local	Remote	IP	8-port	16-port	32-port
	1	1	1	NW11XHD-S - M118	NW11XHD-S - M1116	-
	1	1	2	NW11XHD-S - M218	NW11XHD-S - M2116	-
	1	1	0	NW11XHD-S - M018	NW11XHD-S - M0116	-
	1	2	0	NW11XHD-S - M028	NW11XHD-S - M0216	-
	1	3	0	NW11XHD-S - M038	NW11XHD-S - M0316	-

Combo DB-15 KVM	Local	Remote	IP	8-port	16-port	32-port
	1	0	1	NWIP11XHD-S - 82	NWIP11XHD-S - 162	-
	1	1	0	NW11XHD-S - CE8	NW11XHD-S - CE16	-
	1	0	0	NW11XHD-S - S801	NW11XHD-S - S1601	-

Combo DB-15 KVM Cable : NE-6 / 10 / 15 (6, 10 or 15 ft)

DVI-D KVM	Local	Remote	IP	12-port
	1	0	0	NW11XHD-S - D12

DVI-D KVM Cable : NC-6 / 15 (6 or 15 ft)

USB Hub DB-15 KVM	Local	Remote	IP	8-port	16-port	32-port
	1	0	1	NWIP11XHD-S - 82H	NWIP11XHD-S - 162H	-
	1	1	0	NW11XHD-S - CE8H	NW11XHD-S - CE16H	-
	1	0	0	NW11XHD-S - 801H	NW11XHD-S - 1601H	-


USB KVM Cable : NB-6 / 10 / 15 (6, 10 or 15 ft)

Mechanical Drawing

Front View




Side View



UNIT : mm
1mm = 0.03937 inch

Top View



Model: NW117HD-S8e

