



Model: SDR117 / 119  
(1U Dual Slide SUN LCD Keyboard / KVM Drawer)

SDR117/119




### LCD Drawer & KVM Benefits

- 1U dual slide 17" or 19" LCD console drawer
- Direct Support for SUN Micro 1152 x 900 native resolution
- Secure remote user access across the world wide web
- 104-key keyboard with SUN hotkeys
- Enhanced aesthetics with new molded front panel and two point lock

### Drawer Features & Options

- 48V, 24V or 12VDC power

LCD Panel		
Manufacturer		
Diagonal size	17" TFT	19" TFT
Max. Resolution	1152 x 900 ( Direct )	1280 x 1024 ( Native )
Brightness (cd/m2)	250	250
Backlight	CCFL	CCF
Colors	16.7M	16.7M
Contrast Ratio (typ)	1000 : 1	1000 : 1
Viewing Angle (H/V)	160° x 160°	160° x 160°
Active area (mm)	338 x 270	376 x 301
MTBF (hrs)	50,000	50,000
Signal input	VGA or DVI-D	VGA or DVI-D
Casing Color	Black ( RAL 9005 )	
Weight ( Single console )		
Net	12.6 kgs ( 27.7 lbs )	13.2 kgs ( 29 lbs )
Gross	18.4 kgs ( 40.5 lbs )	19 kgs ( 41.8 lbs )
Environmental		
Operating	0 to 50°C Degree	
Storage	-5 to 60°C Degree	
Relative humidity	5-90%, non-condensing	
Shock	10G acceleration ( 11 ms duration )	
Vibration	5-500Hz 1G RMS random vibration	
Regulatory	cUL, FCC, CE	

<b>Power</b>	
<b>Input</b>	Auto-sensing 100 to 240VAC, 50 / 60Hz
<b>Consumption</b>	Max. 48 Watt, Standby 5 Watt
<b>Product Dimensions ( Single console )</b>	
<b>Product</b>	442 x 650 x 44 mm / 17.4 x 25.6 x 1.73 inch
<b>Packing</b>	595 x 860 x 140 mm / 23.4 x 33.9 x 5.5 inch

### Console Cable

#### CV-6

6 feet DVI-D console cable ( bundle )  
 - DVI-D + USB, server end  
 - DVI-D + DB15 ( USB KB & MS ), console port

#### NB-6



6 feet VGA console cable ( alternative )  
 - VGA + USB, server end  
 - DB15 ( VGA, USB KB & MS ), console port

### Dimensions

<b>Product</b>	441.6 x 620 x 44 mm / 17.4 x 24.4 x 1.73 inch
<b>Packing</b>	590 x 823 x 140 mm / 23.2 x 32.4 x 5.5 inch
<b>Weight ( Net / Gross )</b>	
SDR117	13.3 kgs ( 29.2 lbs ) / 16.5 kgs ( 36.3 lbs )
SDR119	13.5 kgs ( 29.7 lbs ) / 18.4 kgs ( 40.5 lbs )
<b>Casing Color</b>	Black ( RAL 9005 )

### Keyboard Selection

**Se** S keyboard integrated with touchpad




### Supporting layouts


America   
 United States

### KVM Selection

(X) Stands for 17" or 19" LCD size


	Local	Remote		8-port	16-port	32-port
Matrix CAT6 KVM	1	1	1	-	SDR11X - <a href="#">MC1116</a>	SDR11X - <a href="#">MC1132</a>
	1	1	2	-	SDR11X - <a href="#">MC2116</a>	SDR11X - <a href="#">MC2132</a>
	1	1	0	-	SDR11X - <a href="#">MC0116</a>	SDR11X - <a href="#">MC0132</a>
	1	2	0	-	SDR11X - <a href="#">MC0216</a>	SDR11X - <a href="#">MC0232</a>
	1	3	0	-	SDR11X - <a href="#">MC0316</a>	SDR11X - <a href="#">MC0332</a>


	Local	Remote		8-port	16-port	32-port
Combo CAT6 KVM	1	0	1	SDR11X - CIP8	SDR11X - CIP16	SDR11X - CIP32
	1	1	0	SDR11X - CCE8	SDR11X - CCE16	SDR11X - CCE32
	1	0	0	SDR11X - C8	SDR11X - C16	SDR11X - C32

	Local	Remote		8-port	16-port	32-port
Matrix DB-15 KVM	1	1	1	SDR11X - <a href="#">M118</a>	SDR11X - <a href="#">M1116</a>	-
	1	1	2	SDR11X - <a href="#">M218</a>	SDR11X - <a href="#">M2116</a>	-
	1	1	0	SDR11X - <a href="#">M018</a>	SDR11X - <a href="#">M0116</a>	-
	1	2	0	SDR11X - <a href="#">M028</a>	SDR11X - <a href="#">M0216</a>	-
	1	3	0	SDR11X - <a href="#">M038</a>	SDR11X - <a href="#">M0316</a>	-

KVM Selection

(\*) Stands for 17" or 19" LCD size

Combo DB-15 KVM	Local	Remote		8-port	16-port	32-port
	1	0	1	SDR11XIP - 82	SDR11XIP - 162	-
	1	1	0	SDR11X - CE8	SDR11X - CE16	-
	1	0	0	SDR11X - S801	SDR11X - S1601	-

DVI-D KVM	Local	Remote		12-port
	1	0	0	SDR11X - D12