

# SINGLE CONSOLE

NetView:1U Rackmount 17" Wide 1920 x 1200 SUN LCD Keyboard/KVM Drawer Over Depth is 19 Inch. Dongles sold separately

Model: SNW117X




## FEATURES:

- 1U 17" widescreen LCD console drawer with VGA, DVI-D and HDMI w/ speaker
- 1920 x 1200 native WUXGA Ultra high resolution
- PIP & Picture by Picture viewing efficiency
- 104-key keyboard with either touchpad or trackball
- SUN Micro or MAC keyboard options available
- New enhanced aesthetics with molded front handle
- Front USB port for device access (USB Hub KVM only)

## SPECIFICATIONS:


<b>LCD Panel</b>	
Diagonal size	17.1" widescreen TFT
Max. Resolution	1920 x 1200
Brightness (cd/m2)	210
Backlight	LED
Colors	16.7 M, 8-bit
Contrast Ratio (typ)	600 : 1
Viewing Angle (H/V)	130° x 110°
Active area (mm)	367 x 230
MTBF (hrs)	20,000
Video Input	VGA, DVI-D and HDMI
Speaker (HDMI Only)	Built-in Dual Stereo Speakers 2W x 2
Casing Color	Black ( RAL 9005 )
Power Input	Auto-sensing 100 to 240VAC, 50 / 60Hz
<b>Power Consumption (single console)</b>	
Screen on	Max. 34W
Power saving mode	Max. 4W
Power button on	Max. 1W
<b>Environmental</b>	
Operating temperature	0 to 55°C degree
Storage temperature	-20 to 60°C degree
Operating humidity	20~90%, non-condensing
Storage humidity	5 ~90%, non-condensing
Operating altitude	16,000 ft
Non-operating altitude	40,000 ft
Shock	10G acceleration ( 11ms duration )
Vibration	5~500Hz 1G RMS random vibration
<b>Regulatory</b>	
Safety	FCC & CE certified
Environmental	RoHS2 & REACH compliant
<b>Weight ( single console )</b>	
Net	10.9 kgs / 24 lbs
Gross	15.8 kgs / 34.8 lbs
<b>Dimensions ( single console )</b>	
Product	441.6 x 480 x 44 mm / 17.4 x 18.9 x 1.73 inch
Packing	590 x 808 x 140 mm / 23.2 x 31.8 x 5.5 inch
<b>Console Cable</b>	
NX-6 6 feet DVI-D console cable ( bundle ) - DVI-D + USB, server end - DVI-D + DB15 ( USB KB & MS ), console port	NB-6 6 feet VGA console cable ( alternative ) - VGA + USB, server end - DB15 ( VGA, USB KB & MS ), console port

## STRUCTURE DIAGRAM



## STANDARD KEYBOARD

**e** keyboard integrated with touchpad



**b** keyboard integrated with trackball



<b>America</b>		United States			
<b>EMEA</b>					
	United Kingdom	Germany	France	Spain	Norway
	Italy	Russia	Switzerland	Netherlands	Portugal
	<b>Asia</b>				
	China	Japan	Korea	Arabia	Turkey

## KEYBOARD OPTIONS (US layout only)

**Me** Mac keyboard with touchpad



**Se** S keyboard with touchpad

**Mb** Mac keyboard with trackball

**Sb** S keyboard with trackball



## KVM OPTIONS

### ■ Dimensions ( with KVM )

Product: 441.6 x 580 x 44 mm / 17.4 x 22.8 x 1.73 inch

Packing: 590 x 808 x 140 mm / 23.2 x 31.8 x 5.5 inch

### ■ Power Consumption with KVM integration

Screen on: Max. 59W

Power saving mode: Max. 29W

### ■ Weight

Net: 12.1 kgs / 26.6 lbs

Gross : 18.1 kgs / 39.8 lbs

### ■ Casing Color

Black ( RAL 9005 )

For keyboard option add (e) touchpad or (b) trackball at the end of the model no.

Sample: SNW117X-M118e

Matrix DB-15 KVM	Local	Remote	IP	8-port	16-port	32-port
	1	1	1	SNW117X-M118	SNW117X-M1116	-
	1	1	2	SNW117X-M218	SNW117X-M2116	-
	1	1	0	SNW117X-M018	SNW117X-M0116	-
	1	2	0	SNW117X-M028	SNW117X-M0216	-
	1	3	0	SNW117X-M038	SNW117X-M0316	-

Combo DB-15 KVM	Local	Remote	IP	8-port	16-port	32-port
	1	0	1	SNW117X-IP8	SNW117X-IP16	-
	1	1	0	SNW117X-8	SNW117X-16	-
	1	0	0	SNW117X-S801	SNW117X-S1601	-


Combo DB-15 KVM Cable : NE-6 / 10 / 15 ( 6, 10 or 15 ft )

DVI-D KVM	Local	Remote	IP	12-port	-	-
	1	0	0	SNW117X-12D	-	-

USB Hub DB-15 KVM	Local	Remote	IP	8-port	16-port	32-port
	1	0	1	SNW117X-IPB8	SNW117X-IPB16	-
	1	1	0	SNW117X-B82	SNW117X-B162	-
	1	0	0	SNW117X-B8	SNW117X-B16	-

## DIMENSIONS


Front View




Rear View



Side View



Top View



UNIT : mm  
1mm = 0.03937 inch