

Chassis Monitor

Sunlight Readable Chassis Monitor



6.4"

Specifications

Model Name	WCHH640P1
Viewable Size Image	6.4"
Active Display Area(mm)	129.6(H)x97.44(V)
Pixel Pitch(mm)	0.203(H)x0.203(V)
Number of Pixels	640x480
Contrast Ratio	120:1 (typ.)
Display Color	262144(6bit/colors)
Brightness(cd/m ²)	300
Viewing Angle(CR >=10)	-55~55(H); -35~15(V)(typ.)
Synchronization Range	31.5~37.9KHz/60~75Hz
Horizontal/Vertical	
Recommended Resolution	640x480@ 60Hz, 75Hz
Signal Connector	15 pin D-S ub
Power Source	AC 100~240V, Universal, ±10%
Power Consumption	15W typical, normal operation
Power Management	VESA DPMS Compliant
Plug & Play	VESA DDC 1/2B
Optional Video Input	S-Video, Composite
Optional DVI Input	No
Optional Touch Screen	Resistive


Remarks: WCHH640P1 = VGA input only

WCHH640P1AV = VGA+Video Input

Outdoor readability

Ambient light(nit)	Brightness measure Angle	10,000	30,000	80,000
Brightness gain(BL0n)(nit)	35°	375	565	1,000
Reflectance(net)(%)		1%	0.98%	0.95%

Mechanical Drawing



UNIT:mm

**I-TECH
COMPANY**
www.i-techcompany.com
 Toll Free: 1-888-483-2418
 USA: 1-510-429-9288
 Fax: 1-510-372-2736