


SUNLIGHT READABLE OPEN FRAME

24" Open frame / 1920x1200 / 300nits / VGA+DVI-D+HDMI input

-20°C-50°C Integrated DC 9-36V Power input

Model: YOPW2400X




FEATURES:

- High contrast color TFT-LCD Monitor support resolution up to 1920*1200.
- Power management system conforms to VESA DPMS and EPA Energy Star standards.
- Universal Power adapter.
- Support DDC1 & DDC2B for Plug & Play compatibility.
- Advanced OSD control for picture quality adjustment.
- Detachable stand for wall-mounting adjustment.
- Heavy duty monitor with steel frame.
- Custom design by request.

SPECIFICATIONS:

Item	Specification
Panel Type	24.0-inch TFT LCD
Screen Diagonal	24.0-inch
Active Display Area (mm)	518.4 (H) x 324.0 (V)
Pixel Pitch (um)	270 (per one triad) x270
Number of Pixels	1920(x3) x 1200
Contrast Ratio	1000:1
Color Arrangement	16.7M colors , 8-bit RGB data input
Brightness (cd/m ²)	300 cd/m ²
Viewing Angle(Typ.)	89/89/89/89 (R/L/U/D)
Signal Connector	15 PIN D-Sub,DVI-D,HDMI
Power Source	DC 12V (Both DC Jack and Terminal Block connector)/ DC 9-36V (Terminal Block connector)
Power Management	VESA DPMS Compliant
Operating Temperature	-20 ~ 50°C
Storage Temperature	-20 ~ 60°C
Plug & Play	VESA DDC 1/2B

MECHANICAL DRAWINGS:



Note :
 (1) Unit : mm •
 (2) Unspecified tolerances are ± 0.5 mm.